



Patient Information Leaflet

After CT Colonography

Produced by:
Diagnostic Imaging

Date: February 2018
Review due: February 2021

**This page is left
intentionally
blank**

If you are unable to read this leaflet because English is not your first language, please ask someone who speaks English to telephone PALS on 01983 534850 for further information and help.

Polish:

Jeśli nie jesteś w stanie przeczytać tej ulotki bo angielski nie jest pierwszym językiem, poproś kogoś, kto mówi po angielsku, o kontakt telefoniczny z (PALS 01983 534850) aby uzyskać więcej informacji i pomoc

Russian:

Если вы не можете прочитать этот буклет на английском языке потому что не является первым языке, пожалуйста, попросите кого-нибудь, кто говорит на английском языке для телефонного (PALS 01983 534850) для получения дополнительной информации и помощи

Turkish:

Eğer İngilizce ana diliniz değilse, çünkü bu broşürü okumak için yapamıyorsanız, daha fazla bilgi için 01983 534850 üzerinde PALS telefon İngilizce bilen birine sormak ve yardım lütfen

Bulgarian:

Ако не сте в състояние да прочетете тази листовка, тъй като английският не е първи език, опитайте някой, който говори английски, за да телефонирам (PALS на 01983 534850) за повече информация и помощ

Czech:

Pokud nejste schopni přečíst tuto příbalovou informaci, protože angličtina není vaším rodným jazykem, zeptejte se někoho, kdo mluví anglicky na telefonní PALS na 01983 534850 pro další informace a pomoc

Bengali:

আপনি ইংরেজি আপনার প্রথম ভাষা না থাকার কারণে এই লফিলটে পড়তে অক্ষম হন, তাহলে আরও তথ্যের জন্য 01983 534850 নভেগিশেন PALS টলেফি এন ইংরেজি কথা কটে জিজ্ঞাসা করুন এবং সাহায্য করুন

We do not expect you to have any unpleasant after-effects from the CT Colonography examination you have had: however in addition to the information we give all our CT patients we would like you to be aware of the following:

- You will probably have been given an injection of Buscopan to relax your bowel. This injection also affects the muscles in your eyes so you may get blurred vision. If you are affected by this you should take extra care and not drive until your vision returns to normal.
- If you develop a red painful eye with blurred vision you should go straight to A&E as it will need immediate treatment. This is acute angle glaucoma and can be a rare side effect of Buscopan; it is extremely rare and would normally occur soon after the injection.

We recommend you have a hot or warm drink before you go home. This will help if your tummy is feeling a bit uncomfortable. These 'gripey' pains should wear off over the next couple of hours. You should not rush to go home – stay in the department or the hospital until you are feeling well enough to leave.

Finally

If you have any questions or concerns that you would like answered, please contact;

(01983) 534666 Monday to Friday

09:00–12:30 and 13:30–16:30

Ask to speak to a Senior Radiographer in Diagnostic Imaging.

Access to Health Records by Diagnostic Staff

As a patient undergoing tests as part of a diagnostic procedure information about you may be accessed by other healthcare professionals, and images may need to be interpreted by a teleradiology service. It is normal practice in these circumstances for your consent to be implied as part of your agreement to have the test or tests performed.

Accidental over exposure of radiation

Despite all safeguards, medical exposures can occur where the actual dose is greater than was intended. The regulations governing these exposures are either IR(ME)R 2000 or IRR 99.

In the event of an over exposure the incident will be reported to the Radiation Protection Advisor. It will be down to the discretion of the RPA as to whether there is a clinical requirement to inform any patient of an overexposure.

**This page is left
intentionally
blank**

**This page is left
intentionally
blank**

If you have any queries or concerns about the content of this leaflet please call (01983) 524081 and ask to speak to the relevant department.

If you require this leaflet in another language, large print or another format, please contact the PALS Team, telephone **01983 534850**, who will advise you.

Valuables should not be brought into the hospital. If patients have to bring in valuable items they should ask a nurse to store them safely and request a receipt for the items. You may not be able to have the valuable items returned if the time of discharge from hospital is out of hours.

We are sorry but the Trust cannot accept responsibility for loss or damage to items not given for safe keeping.

You can get further information on all sorts of health issues online at: **www.nhs.uk**

For Health advice and out of hours GP service please call the NHS 111 service on: **111**

We Value Your Views On Our Service

If you wish to comment on the care which you, your relative or friend has received, we will be pleased to hear from you. Please speak to the person in charge of the ward, clinic or service in the first instance or ask them to contact the PALS Team. If you wish to contact them directly, telephone on **01983 534850**.

Alternatively you may prefer to write to:

Chief Executive
Isle Of Wight NHS Trust
St Mary's Hospital
Newport, Isle of Wight, PO30 5TG

You can also share any concerns you have about our services with the Care Quality Commission (CQC) on **03000 61 61 61** or at **enquiries@cqc.org.uk**

All NHS sites are no smoking areas.

If you would like help and advice to stop smoking please call: Freephone 0800 169 0 169 to talk to the NHS Smoking Helpline.