



Patient Information Leaflet

Discharge Advice Paediatric (Children's) Clavicle Fracture

Produced by:
Orthopaedic Department

Date: July 2017
Review due: July 2020

**This page is left
intentionally
blank**

If you are unable to read this leaflet because English is not your first language, please ask someone who speaks English to telephone PALS on 01983 534850 for further information and help.

Polish:

Jeśli nie jesteś w stanie przeczytać tej ulotki bo angielski nie jest pierwszym językiem, poproś kogoś, kto mówi po angielsku, o kontakt telefoniczny z (PALS 01983 534850) aby uzyskać więcej informacji i pomoc

Russian:

Если вы не можете прочитать этот буклет на английском языке потому что не является первым языке, пожалуйста, попросите кого-нибудь, кто говорит на английском языке для телефонного (PALS 01983 534850) для получения дополнительной информации и помощи

Turkish:

Eğer İngilizce ana diliniz değilse, çünkü bu broşürü okumak için yapamıyorsanız, daha fazla bilgi için 01983 534850 üzerinde PALS telefon İngilizce bilen birine sormak ve yardım lütfen

Bulgarian:

Ако не сте в състояние да прочетете тази листовка, тъй като английският не е първи език, опитайте някой, който говори английски, за да телефонирам (PALS на 01983 534850) за повече информация и помощ

Czech:

Pokud nejste schopni přečíst tuto příbalovou informaci, protože angličtina není vaším rodným jazykem, zeptejte se někoho, kdo mluví anglicky na telefonní PALS na 01983 534850 pro další informace a pomoc

Bengali:

আপনি ইংরেজি আপনার প্রথম ভাষা না থাকার কারণে এই লফিলটে পড়তে অক্ষম হন, তাহলে আরও তথ্যের জন্য 01983 534850 নভেগিশেন PALS টলেফি এন ইংরেজি কথা কটে জিজ্ঞাসা করুন এবং সাহায্য করুন



- Your child has fractured their Clavicle (Collar Bone).
- This type of fracture is common in children.
- This type of fracture heals well – the only treatments required are painkillers and a sling.
- We would expect the collar bone to be painful for 4 – 6 weeks.
- Your child may find it more comfortable to sleep sitting upright for a few days after the injury.
- The shoulder and arm can be moved out of the sling as comfort allows. This will usually be about 2 weeks after the injury but can be sooner if comfortable.
- The 'bump' over the fracture is quite normal and is produced by healing bone. It may take up to one year to disappear. If your child is older than ten years a small bump may remain.
- Your child may return to sports such as swimming as soon as comfortable, but should avoid contact sports (such as football, rugby and basketball) for six weeks.

- If you are still experiencing significant symptoms after several months, please phone the fracture clinic helpline as listed below for further advice.

Should you have any concerns following discharge from the hospital, please contact either the:

- 1) Fracture Clinic: 01983 534655 (9.00am until 4.00pm, Monday to Friday) or;
- 2) Emergency Department out of hours.

**This page is left
intentionally
blank**

**This page is left
intentionally
blank**

If you have any queries or concerns about the content of this leaflet please call (01983) 524081 and ask to speak to the relevant department.

If you require this leaflet in another language, large print or another format, please contact the PALS Team, telephone **01983 534850**, who will advise you.

Valuables should not be brought into the hospital. If patients have to bring in valuable items they should ask a nurse to store them safely and request a receipt for the items. You may not be able to have the valuable items returned if the time of discharge from hospital is out of hours.

We are sorry but the Trust cannot accept responsibility for loss or damage to items not given for safe keeping.

You can get further information on all sorts of health issues online at: **www.nhs.uk**

For Health advice and out of hours GP service please call the NHS 111 service on: **111**

We Value Your Views On Our Service

If you wish to comment on the care which you, your relative or friend has received, we will be pleased to hear from you. Please speak to the person in charge of the ward, clinic or service in the first instance or ask them to contact the PALS Team. If you wish to contact them directly, telephone on **01983 534850**.

Alternatively you may prefer to write to:

Chief Executive
Isle Of Wight NHS Trust
St Mary's Hospital
Newport, Isle of Wight, PO30 5TG

You can also share any concerns you have about our services with the Care Quality Commission (CQC) on **03000 61 61 61** or at **enquiries@cqc.org.uk**

All NHS sites are no smoking areas.

If you would like help and advice to stop smoking please call: Freephone 0800 169 0 169 to talk to the NHS Smoking Helpline.